

ship Sept 12.

Work Order ID 150798

150798

Page 1

Tuesday, September 06, 2016 4:20:48 PM

Item ID: D350-578-015 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible
 Start Date: 9/7/2016 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 9/9/2016 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: dem Date: 16/09/06 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D350-578	H								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and create labels per PPP D350-578-015 CHG002								
160	Pick Kit	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC4- 100% Inspect kits for completeness	0.00							
170									
QC	Memo	0.01							
Quality Control									

DAS
6
9-89

SEP 07 2016

DAS
21
9-89

SEP 07 2016

DAS
28
9-89

SEP 07 2016

① DE

SEP 07 2016

DAS
27
9-89

DAS
28
9-89

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 150798

Tuesday, September 06, 2016 4:20:48 PM

150798

Page 2

Item ID: D350-578-015 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible
Start Date: 9/7/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 9/9/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	Packaging	0.00							
180									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-578-015 Location: <u>F9013</u>								
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.02							
Quality Control									

DAS
21
9-89

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, September 06, 2016 4:20:53 PM

Page 1

Work Order ID: 150798

150798

Parent Item: D350-578-015

D350-578-015

Parent Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible

Start Date: 9/7/2016

Required Date: 9/9/2016

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV: A NEW ISSUE 12-07-25 JLM VERIFIED BY:DD IPP
REV:C 15.03.30 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2432-3 *D2432-3* 206 (24") Bearpaw		Manufactured	No				Each	5.0000	**	2		PC	DAS 27 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST454a		5							
				139891		1							
				147447		4							
D2529 *D2529* Washer		Manufactured	No				Each	116.0000	**	12		PC	DAS 27 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST008		92							
				108881		12							
				147569		80							
				ST009		24							
				140554		24							
D3601-1 *D3601-1* Radius Block		Manufactured	No				Each	92.0000	**	12		PC	DAS 27 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST045		66							
				144718		66							
				ST046		26							
				141269		26							

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, September 06, 2016 4:20:53 PM

Page 2

Work Order ID: 150798

150798

Parent Item: D350-578-015

D350-578-015

Parent Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible

Start Date: 9/7/2016

Required Date: 9/9/2016

Start Qty: 1.00

Required Qty: 1.00

D4011-1 Manufactured No

Each 45.0000

6

D4011-1

**

PC

DAS

27

Clamp, Short

9-89

Location

Loc Qty

Loc Code

ST544

45

145016

45

6

D4012-1 Manufactured No

Each 57.0000

6

D4012-1

**

PC

DAS

27

Cushion

9-89

Location

Loc Qty

Loc Code

FG

5

133458

5

ST545

52

147643

52

6

AN4-17A Purchased No

Each 129.0000

12

AN4-17A

**

PC

DAS

27

Bolt

9-89

Location

Loc Qty

Loc Code

MF

50

M135407

50

over003

50

M135464

50

ST343

29

M135056

29

12

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Tuesday, September 06, 2016 4:20:53 PM

Page 3

Work Order ID: 150798

150798

Parent Item: D350-578-015

D350-578-015

Parent Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible

Start Date: 9/7/2016

Required Date: 9/9/2016

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0463J

Purchased

No

Each

3,022.000

12

NAS1149D0463J

Washer

PC
DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

230

M132035

15

M134508

32

M135056

183

ST260a

2000

M135407

1000

M135530

1000

ST263

780

M134039

24

M135390

756

ST2663

12

M134039

12

Each

1,795.000

12

MS21042L4

Purchased

No

MS21042L4

Nut

PC
DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

FP001

51

m133363

51

GA

424

m133769

116

m135058

308

ST3003

25

m134955

25

ST303

1295

m133769

12

m134055

24

m135297

259

m135470

1000

SEP 07 2016

Tuesday, September 06, 2016 4:20:53 PM

Shop Packet Print

Page 3

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

5.0 PARTS LIST

5.1 D350-578-011/-013/-015/-017/-021 BEARPAW INSTALLATION

Qty -011	Qty -013	Qty -015	Qty -017	Qty -021	Qty -031	Part Number	Description
X						D350-578-011	BEARPAW INSTALLATION
	X					D350-578-013	BEARPAW INSTALLATION
		X				D350-578-015	BEARPAW INSTALLATION
			X			D350-578-017	BEARPAW INSTALLATION
				X		D350-578-021	BEARPAW INSTALLATION
					X	D350-578-031	WEARPLATE KIT
2						D2432F	Bearpaw
		2				D2432-3	Bearpaw
12	12	12	12	12		D2529	Washer
				2		D2672F	Bearpaw
12	12	12	12	12		D3601-1	Radius Block (Replaces D2274)
					2	D3859-041	Wearplate
6	6	6	6	6		D4011-1	Clamp (Replaces D2438)
6	6	6	6	6		D4012-1	Cushion (Replaces D2182B050)
	2					D4297-1	Bearpaw
			2			D4297-3	Bearpaw
12	12			12	12	AN4-16A	Bolt
		12	12		12	AN4-17A	Bolt
24	24	24	24	24	24	NAS1149D0463J	Washer
12	12	12	12	12	12	MS21042L4	Nut (or MS21042-4)

5.2 D350-578-111/-113/-115/-117/-121 BEARPAW INSTALLATION

Qty -111	Qty -113	Qty -115	Qty -117	Qty -121	Part Number	Description
X					D350-578-111	BEARPAW INSTALLATION
	X				D350-578-113	BEARPAW INSTALLATION
		X			D350-578-115	BEARPAW INSTALLATION
			X		D350-578-117	BEARPAW INSTALLATION
				X	D350-578-121	BEARPAW INSTALLATION
1					D350-578-011	Bearpaw Installation
	1				D350-578-013	Bearpaw Installation
		1			D350-578-015	Bearpaw Installation
			1		D350-578-017	Bearpaw Installation
				1	D350-578-021	Bearpaw Installation
1	1	1	1	1	D350-578-031	Wearplate Kit

• COPYRIGHT © 2002 BY DART AEROSPACE LTD. •
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED
 OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: H

Date: 15.03.12

NO. 150798
 WORK ORDER
 WITHOUT NOTICE
 SUBJECT TO AMENDMENT
 UNCONTROLLED COPY
 RETURN TO
 ENGINEERING
 SHOP COPY
 16/09/04

Work Order ID 150798

Tuesday, September 06, 2016 4:20:48 PM

150798

Page 1

Item ID: D350-578-015

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible

Start Date: 9/7/2016 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 9/9/2016 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: LM Date: 16/09/06 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D350-578	H								
100	Document Control	0.00							
100	DOCUMENT CONTROL.								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and create labels per PPP D350-578-015 CHG002								
160	Pick Kit	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC4- 100% Inspect kits for completeness	0.00							
170									
QC	Memo	0.01							
Quality Control									

DAS
21
9-89 SEP 07 2016

5.0 PARTS LIST

5.1 D350-578-011/-013/-015/-017/-021 BEARPAW INSTALLATION

Qty -011	Qty -013	Qty -015	Qty -017	Qty -021	Qty -031	Part Number	Description
X						D350-578-011	BEARPAW INSTALLATION
	X					D350-578-013	BEARPAW INSTALLATION
		X				D350-578-015	BEARPAW INSTALLATION
			X			D350-578-017	BEARPAW INSTALLATION
				X		D350-578-021	BEARPAW INSTALLATION
					X	D350-578-031	WEARPLATE KIT
2						D2432F	Bearpaw
		2				D2432-3	Bearpaw
12	12	12	12	12		D2529	Washer
				2		D2672F	Bearpaw
12	12	12	12	12		D3601-1	Radius Block (Replaces D2274)
					2	D3859-041	Wearplate
6	6	6	6	6		D4011-1	Clamp (Replaces D2438)
6	6	6	6	6		D4012-1	Cushion (Replaces D2182B050)
	2					D4297-1	Bearpaw
			2			D4297-3	Bearpaw
12	12			12	12	AN4-16A	Bolt
		12	12		12	AN4-17A	Bolt
24	24	24	24	24	24	NAS1149D0463J	Washer
12	12	12	12	12	12	MS21042L4	Nut (or MS21042-4)

5.2 D350-578-111/-113/-115/-117/-121 BEARPAW INSTALLATION

Qty -111	Qty -113	Qty -115	Qty -117	Qty -121	Part Number	Description
X					D350-578-111	BEARPAW INSTALLATION
	X				D350-578-113	BEARPAW INSTALLATION
		X			D350-578-115	BEARPAW INSTALLATION
			X		D350-578-117	BEARPAW INSTALLATION
				X	D350-578-121	BEARPAW INSTALLATION
1					D350-578-011	Bearpaw Installation
	1				D350-578-013	Bearpaw Installation
		1			D350-578-015	Bearpaw Installation
			1		D350-578-017	Bearpaw Installation
				1	D350-578-021	Bearpaw Installation
1	1	1	1	1	D350-578-031	Wearplate Kit